

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER
RICHARD F. DAINES, M.D.



Expires 12:01 AM April 01, 2010
Issued October 16, 2009

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. ALANA GRAHAM
EMLAB P&K
1936 OLNEY AVENUE
CHERRY HILL, NJ 08003

NY Lab Id No: 11951
EPA Lab Code:

*is hereby APPROVED as an Environmental Laboratory for the category
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved subcategories and/or analytes are listed below:*

Miscellaneous

Asbestos in Friable Material Item 198.1 of Manual
Asbestos in Non-Friable Material-PLM Item 198.6 of Manual (NOB by PLM)

Serial No.: 40591

Property of the New York State Department of Health. Valid only at the address shown. Must be conspicuously posted. Valid certificates have a raised seal. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify laboratory's accreditation status.



STATE OF NEW YORK
DEPARTMENT OF HEALTH

Wadsworth Center The Governor Nelson A. Rockefeller Empire State Plaza P.O. BOX 509 Albany, New York 12201-0509

RICHARD F. DAINES, M.D.
Commissioner

JAMES W. CLYNE
Executive Deputy Commissioner

LAB ID: 11951

October 16, 2009

MS. ALANA GRAHAM
EMLAB P&K
1936 OLNEY AVENUE
CHERRY HILL, NJ 08003

Dear Ms. Graham,

A new certificate has been generated because of the following change(s):

| AppCat | Analyte Name Method Name | Comments | Date |
|--------|---|--------------------|------------|
| SW | Asbestos in Non-Friable Material-PLM Item 198.6 of Manual (NOB by PLM) | Raised to Approved | 10/15/2009 |
| SW | Asbestos in Friable Material Item 198.1 of Manual | Raised to Approved | 10/15/2009 |



STATE OF NEW YORK
DEPARTMENT OF HEALTH

Wadsworth Center The Governor Nelson A. Rockefeller Empire State Plaza P.O. BOX 509 Albany, New York 12201-0509

RICHARD F. DAINES, M.D.
Commissioner

JAMES W. CLYNE
Executive Deputy Commissioner

LAB ID: 11951

October 16, 2009

MS. ALANA GRAHAM
EMLAB P&K
1936 OLNEY AVENUE
CHERRY HILL, NJ 08003

Certificate Expiration Date:
April 01, 2010

Dear Ms. Graham,

Enclosed are the ELAP and/or NELAP Certificate(s) of Approval issued to your environmental laboratory for the current permit year. The Certificate(s) supersede any previously issued and is(are) in effect through the expiration date listed above. Please carefully examine the Certificate(s) to insure that the categories, subcategories, analytes and methods for which your laboratory is approved are listed correctly, as well as verifying your laboratory's name, address, lead technical director and identification number.

Pursuant to regulation (Part 55-2 NYCRR), original certificates must be posted conspicuously in the laboratory and copies shall be made available to any client of the laboratory upon request. Certificates remain the property of the New York State Department of Health and must be surrendered promptly on demand.

Please note, pursuant to Section 55-2.6 NYCRR, any misrepresentation of the Fields of Accreditation (Matrix - Method - Analyte) for which your laboratory is approved may result in denial, suspension, or revocation of your certification. Any use of the ELAP or NELAP name, reference to the laboratory's approval status and/or using the NELAC/NELAP logo in any catalogs, advertising, business solicitations, proposals, quotations, laboratory analytical reports, or other materials must include the laboratory's ELAP identification number and distinguish between proposed testing for which the laboratory is approved and the proposed testing for which the laboratory is not approved.

Please notify the ELAP office of any changes you feel need to be made to your Certificate(s). We may be reached via email at elap@health.state.ny.us or by calling (518) 485-5570.

Sincerely,

Joyce Reilly
Program Administrator
Environmental Laboratory
Approval Program